MUSIC DISTRICT™

studiobricks

Music and recording booths

The listed prices are recommended retail prices including VAT
Retail Prices 2024,

PRICING 2024

45dB

New!

Studiobricks
Podcast Duo
& Podcast Round

PODCAST EDITION

3 DOUBLE WALL SYSTEM
Measurements report

5 Studiobricks ONE

6 Studiobricks ONE PLUS

7 Studiobricks ONE XXL

8 Studiobricks PODCAST DUO

9 Studiobricks PODCAST ROUND

10 Studiobricks 120 x 120

11 Studiobricks 120 x 150

12 Studiobricks 120 x 180

13 Studiobricks 150 x 150

14 Studiobricks 150 x 180

15 Studiobricks 180 x 180

16 Studiobricks ComBox

17 Studiobricks AmpBox

47dB

New!

Studiobricks
LightPanel LED light
included in all our booths

18 TRIPLE WALL SYSTEM “PRO”
Measurements report

20 Studiobricks PRO 120 x 120

21 Studiobricks PRO 120 x 150

22 Studiobricks PRO 120 x 180

23 Studiobricks PRO 150 x 150

24 Studiobricks PRO 150 x 180

25 Studiobricks PRO 180 x 180

26 EXTRAS & DETAILS

27 Voice Over Edition

28 Extras & Details

We serve sizes up to 6 x 10 m

To place an order, please let us know the following:

1. Outside measurement: Room space available
2. Final application: VO, Drums, woodwind, etc...
3. Shipping address: Zip Code, for example

DOUBLE WALL (8CM)
MEASUREMENT REPORT

MEASUREMENTS

FROM OUTSIDE TO INSIDE

DnT (dB)

Reference curve ISO 717-1

FREQUENCY *f Hz*	DnT 1/3 OCTAVE *BAND dB*
100	20,4
125	19,2
160	10,4
200	20,5
250	26,0
315	30,1
400	30,5
500	32,6
630	33,9
800	35,6
1000	37,3
1250	37,0
1600	39,1
2000	38,0
2500	38,3
3150	40,1
4000	43,0
5000	44,6
6300	44,9
8000	47,3
10000	48,9

MEASUREMENTS REPORT OF 20/03/18

STANDARIZED LEVEL DIFFERENCE ACCORDING TO ISO 140-4 STANDARD

FIELD MEASUREMENTS OF AIRBORNE SOUND INSULATON BETWEEN ROOM

FREQ. RANGE ACCORDING TO REFERENCE CURVE (ISO 717-1)

Background noise
No corrections were made
Report N:
2204-18-L
Test performed by:
Ivan Martínez

Rating according to ISO 717-1 standard:
(Evaluation based on results of measurements obtained by an engineering method)

ENAC ENSAYOS Nº 638/LE1299

ISOLATON VALUS ACCORDING TO:

ISO 717-1	DnT,w (C,Ctr) = 34 (-3 ; -7) dB

soundlab LABORATORIO DE MEDICIONES ACUSTICAS

F 5.10.07] Rev 5

PATENTED

MD MUSIC DISTRICT

DOUBLE WALL (8CM)
MEASUREMENT REPORT

MEASUREMENTS

FROM INSIDE
TO OUTSIDE

DnT (dB)

Reference curve ISO 717-1

FREQUENCY *f Hz*	DnT 1/3 OCTAVE *BAND dB*
100	37,3
125	31,7
160	27,0
200	31,7
250	35,7
315	40,9
400	40,3
500	45,8
630	44,0
800	48,4
1000	48,4
1250	45,2
1600	50,8
2000	47,6
2500	50,6
3150	49,8
4000	53,7
5000	54,5

MEASUREMENTS REPORT OF 20/03/18

STANDARIZED LEVEL DIFFERENCE ACCORDING TO ISO 140-4 STANDARD

FIELD MEASUREMENTS OF AIRBORNE SOUND INSULATON BETWEEN ROOM

FREQ. RANGE ACCORDING TO REFERENCE CURVE (ISO 717-1)

Backg.round noise
No corrections were made
Report N:
2204-18-L
Test performed by:
Ivan Martínez

Rating according to ISO 717-1 standard:
(Evaluation based on results of measurements obtained by an engineering method)

ENAC
ENSAYOS
Nº 638/LE1299

ISOLATON VALUS ACCORDING TO:

ISO 717-1	DnT,w (C,Ctr) = 46 (-2 ; -6) dB
	I = 44,8 dBA

soundlab
LABORATORIO DE MEDICIONES ACUSTICAS
F 5.10.07] Rev 5

PATENTED

Double Wall System

STUDIOBRICKS ONE

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,06 x 1,38 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
0,90 x 1,22 x 2,06 m.

Minimum ceiling height
2,40 m.
(for lower ceilings ask for quote)

Weight
445 kg.

PRICING

STUDIOBRICKS ONE

Pricing	24,615 AED
Ventilation kit with filter	2,500 AED
TOTAL	**27,120 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on level B, C. Acoustic absorber (recycled PET) on levels A, D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Electricity Plug	Yes
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position exchangeable
Acoustic Glas Door. Soundproof door (4 layer mirror)	75 x 210 cm
Studiobricks LightPanel (LED Light)	60 cm (approx.)
Lacquer	White

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Studiobricks CBTrap PET 3080. Recommendation for voice over & recording	685 AED 1 unit
SmartPanel reflector-diffuser (black/white/nordic)	690 AED / 690 AED / 590 AED 1 pack (4 units)
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Table 80 cm x 42 cm (on letf wall)	1,270 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10% booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Double Wall System

STUDIOBRICKS ONE PLUS

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,06 x 1,68 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
0,90 x 1,52 x 2,08 m.

Minimum ceiling height
2,40 m.
(for lower ceilings ask for quote)

Weight
524 kg.

PRICING

STUDIOBRICKS ONE PLUS	
Pricing	29,705 AED
Ventilation kit with filter	2,500 AED
TOTAL	**32,205 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on level B, C. Acoustic absorber (recycled PET) on levels A, D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Electricity Plug	Yes
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position exchangeable
Acoustic Glas Door. Soundproof door (4 layer mirror)	75 x 210 cm
Studiobricks LightPanel (LED Light)	60 cm (approx.)
Lacquer	White

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Studiobricks CBTrap PET 3080. Recommendation for voice over & recording	685 AED 1 unit
SmartPanel reflector-diffuser (black/white/nordic)	690 AED / 690 AED / 590 AED 1 pack (4 units)
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Table 80 cm x 42 cm (on letf wall)	1,270 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10% booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Double Wall System

STUDIOBRICKS ONE XXL

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,21 x 1,98 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,05 x 1,80 x 2,08 m.

Minimum ceiling height
2,40 m.
(for lower ceilings ask for quote)

Weight
640 kg.

PRICING

STUDIOBRICKS ONE XXL	
Pricing	33,895 AED
Ventilation kit with filter	2,500 AED
TOTAL	**36,395 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on level B, C. Acoustic absorber (recycled PET) on levels A, D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Electricity Plug	Yes
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position exchangeable
Acoustic Glas Door. Soundproof door (4 layer mirror)	75 x 210 cm
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Lacquer	White

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Studiobricks CBTrap PET 3080. Recommendation for voice over & recording	685 AED 1 unit
SmartPanel reflector-diffuser (black/white/nordic)	690 AED / 690 AED / 590 AED 1 pack (4 units)
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Table 80 cm x 42 cm (on letf wall)	1,270 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10% booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

PODCAST EDITION

Double Wall System

STUDIOBRICKS PODCAST DUO

FEATURES

PRICING

STUDIOBRICKS PODCAST DUO (180 x 105)

Pricing	46,375 AED
Ventilation kit with filter	2,500 AED
TOTAL	**48,875 AED**

EQUIPMENT

Basic equipment	Same equipment as the Studiobricks One XXL (previous page)
Additional cable tunnel (under desk)	Up to 4 wires
Hinged desk	60 x 60 x 3 cm
Bass trap	CBTrap PET 3080
Yellowtec Recording equipment (Podcast Edition kit for 2 people)	Mika Wall Pole (2 units) Mika Wall Pole Adapter (2 units) Mika Microphone Arm M Alum. (2 units) Mika Monitor Arm M Aluminium Mika copy Stand Din A3
SmartFuser diffuser	2 units (16 pieces). Black or white

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Height adjustable stool	1,450 AED
Additional Studiobricks CBTrap PET 3080	685 AED 1 unit
SmartPanel reflector-diffuser (black/ white/nordic)	690 AED / 690 AED / 590 AED 1 pack (4 units)
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10% booth price

PODCAST EDITION

Double Wall System

STUDIOBRICKS PODCAST ROUND

FEATURES

PRICING

STUDIOBRICKS PODCAST ROUND (210 x 180)

Pricing	71,580 AED
Ventilation kit with filter	5,000 AED
TOTAL	**76,580 AED**

EQUIPMENT

Basic equipment	Same equipment as the Custom Double Wall booths (page 15)
Door	90 x 210 cm
Acoustic window	75 x 210 cm
Electric connections (floor)	XLR-3 (x4) + Schüko (x2). Configurable
Ceiling absorber	Studiobricks Eco45 + Acoustic absorber panels (recycled PET)
Round desk with central feet Ø 95 cm (at 76 cm height)	Plywood HPL laminated (Polar white)
Bass trap	CBTrap PET 3060 (6x)
Yellowtec Recording equipment	Mika Desk Pole XS Black 18 cm height Mika Pole Desktop Mounting Kit Mika Mic Arm TV Black (4 units)
SmartFuser diffuser	4 units (32 pieces). Black or white

EXTRA EQUIPMENT

Ø 95 cm height adjustable desk (from 76 to 108 cm height)	1,420 AED
Height adjustable stool	1,445 AED 1 unit
White/black/nordic FlatPanel reflector (black/white/nordic)	760 AED (2 units) 380 AED /u.
Acoustic absorber for glass door/window	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10% booth price

Double Wall System

STUDIOBRICKS 120 x 120

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,38 x 1,38 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,22 x 1,22 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
505 kg.

PRICING

STUDIOBRICKS STANDARD 120 x 120	
Pricing	32,360 AED
Ventilation kit with filter	2,500 AED
TOTAL	**34,860 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on level B, C. Acoustic absorber (recycled PET) on levels A, D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray .
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	1,160 AED (1 pair) 580 AED /u.
White/black/nordic FlatPanel reflector (black/white/nordic)	760 AED (2 units) 380 AED /u.
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

STUDIOBRICKS 120 x 150

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,38 x 1,68 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,22 x 1,52 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
577 kg.

PRICING

STUDIOBRICKS STANDARD 120 x 150

Pricing	36,620 AED
Ventilation kit with filter	2,500 AED
TOTAL	**39,120 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on levels B and C. Acoustic recycled PET panels on level A and D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray .
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	1,160 AED (1 pair) 580 AED /u.
White/black/nordic FlatPanel reflector (black/white/nordic)	1,065 AED (3 units)
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

STUDIOBRICKS 120 x 180

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,38 x 1,98 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,22 x 1,82 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
654 kg.

PRICING

STUDIOBRICKS STANDARD 120 x 180	
Pricing	40,980 AED
Ventilation kit with filter	2,500 AED
TOTAL	**43,480 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on levels B and C. Acoustic recycled PET panels on level A and D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	2,315 AED (2 pair) 578 AED/u.
White/black/nordic FlatPanel reflector (black/white/nordic)	1,525 AED (4 units) 381 AED/u.
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

STUDIOBRICKS 150 x 150

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,68 x 1,68 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,52 x 1,52 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
654 kg.

PRICING

STUDIOBRICKS STANDARD 150 x 150	
Pricing	40,980 AED
Ventilation kit with filter	2,500 AED
TOTAL	**43,480 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on levels B and C. Acoustic recycled PET panels on level A and D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray .
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	2,315 AED (2 pair) 578 AED/u.
White/black/nordic FlatPanel reflector (black/white/nordic)	1,525 AED (4 units) 381 AED/u.
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

STUDIOBRICKS 150 x 180

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,68 x 1,98 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,52 x 1,82 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
732 kg.

PRICING

STUDIOBRICKS STANDARD 150 x 180	
Pricing	45,340 AED
Ventilation kit with filter	2,500 AED
TOTAL	**47,840 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on levels B and C. Acoustic recycled PET panels on level A and D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray .
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	2,315 AED (2 pair) 578 AED/u.
White/black/nordic FlatPanel reflector (black/white/nordic)	1,905 AED (5 units) 381 AED/u.
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

STUDIOBRICKS 180 x 180

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
1,98 x 1,98 x 2,26 m.

Inside dimensions (without absorbers)
width x depth x height
1,82 x 1,82 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
816 kg.

PRICING

STUDIOBRICKS STANDARD 180 x 180	
Pricing	49,145 AED
Ventilation kit with filter	2,500 AED
TOTAL	**51,645 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (recycled PET) on levels B and C. Acoustic recycled PET panels on level A and D
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks LightPanel (LED Light)	120 cm (approx.)
Carpet	Dark gray .
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Extra cable tunnel (4 wires)	365 AED
Studiobricks CBTrap PET 3060. Recommendation for voice over & recording	2,315 AED (2 pair) 578 AED/u.
White/black/nordic FlatPanel reflector (black/white/nordic)	2,130 AED (6 units) 355 AED
Acoustic absorber for glass door	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Acoustic block window 90 x 60 cm Sizes and absorbers in the Extra section	2,435 AED
Additional Glass door 210cm x 75cm Sizes, types and absorbers in Extra section	5,355 AED
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	7,755 AED

Double Wall System

New! STUDIOBRICKS COMBOX

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
81,8 x 81,8 x 91,5 cm.

Inside dimensions (without absorbers)
width x depth x height
64,8 x 64,8 x 63,8 cm.

Inside dimensions (with absorbers)
width x depth x height
62,8 x 62,8 x 61,8 cm.

Weight
123 kg.

PRICING

STUDIOBRICKS COMBOX

Pricing	5,860 AED
TOTAL	**5,860 AED**

EQUIPMENT

Absorber	FR28 foam
Lacquer	White
Handle	Yes
Ventilation	Yes. Quiet cooling fan (17 dBA)
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client by changing the brick position.

EXTRA EQUIPMENT

Casters	760 AED
Anthracite cover (textured)	510 AED

Double Wall System

New! STUDIOBRICKS AMPBOX

FEATURES

DIMENSIONS

Outside dimensions
width x depth x height
121 x 121 x 113 cm.

Inside dimensions (without absorbers)
width x depth x height
105 x 105 x 85 cm.

Inside dimensions (with absorbers)
width x depth x height
95 x 98 x 85 cm.

Weight
180 kg.

PRICING

STUDIOBRICKS AMPBOX

Pricing	8,495 AED
TOTAL	**8,495 AED**

EQUIPMENT

Absorber	Studiobricks Classic50
Lacquer	White and anthracite (textured)
Handle	Yes
Ventilation	Yes. Quiet cooling fan (17 dBA)
Carpet	Dark gray
Cable tunnel	Up to 10 wires. Ventilator and cable tunnel position to be defined by the client by changing the brick position.

EXTRA EQUIPMENT

Desk	990 AED

TRIPLE WALL (11CM)
MEASUREMENT REPORT

MEASUREMENTS

FROM OUTSIDE TO INSIDE

DnT (dB)

Reference curve ISO 717-1

FREQUENCY *f Hz*	DnT 1/3 OCTAVE *BAND dB*
100	23,6
125	20,8
160	17,1
200	18,1
250	18,0
315	24,1
400	31,8
500	34,9
630	37,3
800	39,9
1000	41,2
1250	43,2
1600	44,8
2000	44,4
2500	46,4
3150	47,5
4000	49,4
5000	51,9
6300	52,8
8000	54,4
10000	52,0

MEASUREMENTS REPORT OF 20/03/18

STANDARIZED LEVEL DIFFERENCE ACCORDING TO ISO 140-4 STANDARD

FIELD MEASUREMENTS OF AIRBORNE SOUND INSULATON BETWEEN ROOM

FREQ. RANGE ACCORDING TO REFERENCE CURVE (ISO 717-1)

Backg.round noise
Corrections were made
Report N:
2204-18-L
Test performed by:
Ivan Martínez

Rating according to ISO 717-1 standard:
(Evaluation based on results of measurements obtained by an engineering method)

ENAC ENSAYOS Nº 638/LE1299

ISOLATON VALUS ACCORDING TO:

ISO 717-1	DnT,w (C,Ctr) = 35 (-3 ; -7) dB

soundlab LABORATORIO DE MEDICIONES ACUSTICAS

F 5.10.07] Rev 5

PATENTED

MUSIC DISTRICT

TRIPLE WALL (11CM)
MEASUREMENT REPORT

MEASUREMENTS

FROM INSIDE
TO OUTSIDE

DnT (dB)

Reference curve ISO 717-1

FREQUENCY *f Hz*	DnT 1/3 OCTAVE *BAND dB*
100	30,0
125	26,7
160	24,0
200	31,7
250	33,2
315	39,1
400	48,3
500	49,6
630	51,7
800	57,8
1000	54,4
1250	58,7
1600	58,3
2000	60,0
2500	60,5
3150	62,4
4000	60,7
5000	62,9

MEASUREMENTS REPORT OF 20/03/18

STANDARIZED LEVEL DIFFERENCE ACCORDING TO ISO 140-4 STANDARD

FIELD MEASUREMENTS OF AIRBORNE SOUND INSULATON BETWEEN ROOM

FREQ. RANGE ACCORDING TO REFERENCE CURVE (ISO 717-1)

Backg.round noise
Corrections were made
Report N:
2204-18-L
Test performed by:
Ivan Martínez

Rating according to ISO 717-1 standard:
(Evaluation based on results of measurements obtained by an engineering method)

ISOLATON VALUS ACCORDING TO:

ISO 717-1	DnT,w (C,Ctr) = 47 (-3 ; -8) dB
	I = 44,7 dBA

ENAC ENSAYOS Nº 638/LE1299

soundlab LABORATORIO DE MEDICIONES ACUSTICAS

F 5.10.07] Rev 5

PATENTED

MD MUSIC DISTRICT

Triple Wall System

STUDIOBRICKS PRO 120 x 120

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1,38 x 1,38 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,16 x 1,16 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
606 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 120 x 120 Glass door without window	
Pricing	40,220 AED
Ventilation kit with filter	2,500 AED
TOTAL	**42,720 AED**

VERSION II: STUDIOBRICKS PRO 120 x 120 Wood door with window	
Pricing	44,985 AED
Ventilation kit with filter	2,500 AED
TOTAL	**47,485 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (2 units)
Acoustic window (v. II)	45 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,435 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	min. +10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Triple Wall System

STUDIOBRICKS PRO 120 x 150

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1,38 x 1,68 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,16 x 1,46 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
692 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 120 x 150 Glass door without window	
Pricing	45,545 AED
Ventilation kit with filter	2,500 AED
TOTAL	**48,045 AED**

VERSION II: STUDIOBRICKS PRO 120 x 150 Wood door with window	
Pricing	52,695 AED
Ventilation kit with filter	2,500 AED
TOTAL	**55,195 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (3 units)
Acoustic window (v. II)	60 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,435 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	+10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Triple Wall System

STUDIOBRICKS PRO 120 x 180

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1,38 x 1,98 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,16 x 1,76 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
785 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 120 x 180 Glass door without window	
Pricing	50,970 AED
Ventilation kit with filter	2,500 AED
TOTAL	**53,470 AED**

VERSION II: STUDIOBRICKS PRO 120 x 180 Wood door with window	
Pricing	55,790 AED
Ventilation kit with filter	2,500 AED
TOTAL	**58,290 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (4 units)
Acoustic window (v. II)	60 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	360 AED
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,435 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	+10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Triple Wall System

STUDIOBRICKS PRO 150 x 150

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1,68 x 1,68 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,46 x 1,46 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
785 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 150 x 150 Glass door without window	
Pricing	50,970 AED
Ventilation kit with filter	2,500 AED
TOTAL	**53,470 AED**

VERSION II: STUDIOBRICKS PRO 150 x 150 Wood door with window	
Pricing	55,790 AED
Ventilation kit with filter	2,500 AED
TOTAL	**58,290 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (4 units)
Acoustic window (v. II)	60 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	360 AEI
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,435 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	+10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Triple Wall System

STUDIOBRICKS PRO 150 x 180

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1.68 x 1,98 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,46 x 1,76 x 2,08 m.

Minimum ceiling height
2,45 m.
(for lower ceilings ask for quote)

Weight
879 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 150 x 180 Glass door without window	
Pricing	56,855 AED
Ventilation kit with filter	2,500 AED
TOTAL	**59,355 AED**

VERSION II: STUDIOBRICKS PRO 150 x 180 Wood door with window	
Pricing	61,165 AED
Ventilation kit with filter	2,500 AED
TOTAL	**63,665 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (5 units)
Acoustic window (v. II)	60 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,130 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	+10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

Triple Wall System

STUDIOBRICKS PRO 180 x 180

FEATURES

YOU CAN CHOOSE THE CABIN WITH ACOUSTIC WOOD OR GLASS DOOR

DIMENSIONS

Outside dimensions
width x long x height
1,98 x 1,98 x 2,29 m.

Inside dimensions (without absorbers)
width x long x height:
1,76 x 1,76 x 2,08 m.

Minimum ceiling height
2.45 m.
(for lower ceilings ask for quote)

Weight
979 kg.

PRICING

VERSION I: STUDIOBRICKS PRO 180 x 180 Glass door without window	
Pricing	61,365 AED
Ventilation kit with filter	2,500 AED
TOTAL	**63,865 AED**

VERSION II: STUDIOBRICKS PRO 180 x 180 Wood door with window	
Pricing	65,930 AED
Ventilation kit with filter	2,500 AED
TOTAL	**68,430 AED**

EQUIPMENT

Wall absorber on levels A, B, C, D	Studiobricks Eco45 (B, C) + Recycled PET panels (A, D)
Bass traps (gray)	CBTrap PET (2 pair) (recycled PET)
Ceiling absorber	Studiobricks EcoTex (recycled cotton)
Reflector	White Studiobricks FlatPanel (6 units)
Acoustic window (v. II)	60 x 90 cm
Door	75 x 210 cm
Lacquer	White
Electricity Plug	Yes
Studiobricks Light-Panel (LED Light)	120 cm (approx.)
Carpet	Dark gray
Cable tunnel	Up to 4 wires. *Ventilator and cable tunnel position to be defined by the client

EXTRA EQUIPMENT

Ventilation Kit with filter	2,500 AED
Additional cable tunnel for Triple Wall (4 wires)	365 AED
Acoustic absorber for glass door (Version I)	760 AED
SmartFuser diffuser (8 pieces)	365 AED
Additional block window 90 x 60 cm More sizes and windows absorbers in the Extras section	2,435 AED
Additional door. For door prices, sizes, types and door absorbers see Extras section	...
Special heights	+10 % booth price
Other RAL colors (www.ralcolor.com)	+10 % booth price
Voice Over Edition See Page “Voice Over Edition”	6,300 AED

VOICE OVER EDITION

PRICING

VOICE OVER EDITION FOR STUDIOBRICKS ONE, ONE PLUS & TRIPLE WALL-PRO	VOICE OVER EDITION FOR STUDIOBRICKS DOUBLE WALL
6,300 AED	7,755 AED

EQUIPMENT

Additional Absorber on D LEVEL (except ONEs)	Studiobricks Eco45
Additional Bass trap	Studiobricks CBTrap PET 3080: - One, One Plus & One XXL: 1 unit Studiobricks CBTrap PET 3060: - 120 x 120 cm: 1 pair - 120 x 150 cm and bigger: 2 pairs
Table	ONE, ONE PLUS & ONE XXL: 80 cm x 42 cm | 120 x 120 cm and bigger: more options
TV Support	Max. 38-68 cm. | 13“ - 27“ | 100 x 100 mm. VESA
Pre-installation with items from our German supplier yellowtec.com	Mika Monitor Arm M Aluminium Mika copy Stand Din A3 MMS Wall Pole Mika Pole Halter Mika Microphone Arm M Aluminium

EXTRAS & DETAILS

Wall mounted table for One, OnePlus and OneXXL

On left side	1,270 AED

Additional cable tunnel

4 wires	365 AED

New! LightPanel LED Light

LIGHTPANEL 60 (Nordic)	
60 cm LED Light	395 AED
LIGHTPANEL 120 (Nordic)	
120 cm LED Light	735 AED

Mika mounting system

YELLOWTEC PRE-INSTALLATION

- Mika Monitor Arm M Aluminium
- Mika copy Stand Din A3
- MMS Wall Pole
- Mika Pole Halter
- Mika Microphone Arm M Aluminium

4,425 AED

Doors

Opening to the right	525 AED
Lock with key	425 AED
SOUND CONTROL GLASS DOOR	
210 x 75	5,835 AED
210 x 90	6,545 AED
♿ 210 x 92	6,850 AED
WOOD DOOR	
210 x 75	7,355 AED
210 x 90	7,915 AED
♿ 210 x 97	8,370 AED

Windows

DOUBLE CHAMBER 11,5cm thickness	
60 x 60	2,185 AED
45 x 90	2,185 AED
60 x 90	2,435 AED
120 x 60	3,525 AED
150 x 60	3,905 AED
180 x 60	4,870 AED
90 x 90	3,300 AED
SINGLE CHAMBER 6,5cm thickness	
210 x 75	5,325 AED
210 x 90	5,835 AED

Height adjustable Stool

1,445 AED

Swivels and swings from side to side. Height adjustment from a low pouffe to a seat providing support during standing work.

Special Colors

Other colors
www.ralcolor.com

+ 10 % booth price

Entrance ramp

Adjustable height

3,880 AED

Sound insulated ventilation systems

Type 1

PASSIVE MUFFLER

5,470 AED

Type 2

ACTIVE MUFFLER

7,200 AED

Type 4

VENTILATOR

30m²/h – 130m²/h

2,500 AED

AIR CONDITIONING KIT

2,640 AED

EXTRAS & DETAILS

Absorbers for glass elements

ReflectivePad	
Window 600 x 600 (495 x 495 mm)	485 AED
Window 900 x 600 (790 x 495 mm)	610 AED
Window 1200 x 600 (1090 x 495 mm)	685 AED
Door 750 x 2100 (495 x 1845 mm)	760 AED
Door 900 x 2100 (645 x 1845 mm)	760 AED

Corner Basstrap 30

CBTrap PET 3060/80 (1 u.)	
3060-01 gray:	580 AED
3080-01 gray:	685 AED
3060-02 black:	635 AED
3080-02 black:	760 AED

Corner Basstrap 45

CBTrap PET 4560 (1 u.)	
4560-01 gray:	1,115 AED
4560-02 black:	1,245 AED

New! Flat Basstrap 3060

BTrap PET 3060 (2 u.)	
3060-01 gray:	2,080 AED
3060-02 black:	2,130 AED

New! Flat Absorber 1560

BBand PET 1560 (4 u.)	
1560-01 gray:	2,355 AED
1560-02 black:	2,475 AED

To fully cover an Eco45 panel you need 16 modules (2 SmartFusers)

Diffusers and reflectors for Eco45

New! SmartFuser (8 modules)	
SFU-02 black:	365 AED
SFU-03 white:	365 AED

SmartPanel (4 panels)	
SPA-04 nordic:	590 AED
SPA-03 white:	690 AED
SPA-02 black:	690 AED

FlatPanel (3 panels)	
FPA-04 nordic:	1,145 AED
FPA-03 white:	1,145 AED
FPA-02 black:	1,145 AED

New! Eco45 Black / White absorber

Eco45 Black/White (1 u.)	
E45-02 black:	255 AED

Download the Studiobricks Acoustic brochure here:

MUSIC DISTRICT™

studiobrics

+40 distributors and showrooms worldwide

Australia | Austria | Belgium | Canada
France | Germany | Hong Kong | Italy
Israel | Netherlands | New Zealand
Singapore | Spain | Switzerland
United Arab Emirates | UK | US

We exclusively use certified NAF medium-density fiberboards (MDF)

OUR ADDRESS:

Music District, Str.8, Showroom 46, Al Quoz 1, Dubai, United Arab Emirates

M: +971 58 525 4004

follow us
musicdistrict.ae

www.shop.musicdistrict.ae